



11815 NE 99th Street, Suite 1294  
Vancouver, WA 98662  
Voice: 360-574-3058  
Fax: 360-576-0925  
Web: <https://www.swcleanair.gov>  
Email: [Tina@swcleanair.gov](mailto:Tina@swcleanair.gov)

## Notice of Intent to Remove Asbestos

Case #: 25-036

Amendment: 0

Date Received: 1/13/2025

Date Paid: 1/13/2025

SWCAA Fee: \$768.00

Receipt #: 169192861

**This notification MUST be present at all times at the asbestos project sit**

### \*\*\* EMERGENCY NOTICE \*\*\*

Quantity to be removed: 649 Square Feet 0 Linear Feet

Workshift days: M T

Project starting date: 1/13/2025 Project Completion date: 1/14/2025

Workshift hours: 10AM-4PM, 8am-4p

Site Name: Janice Synder

Site address: 3160 Oak St

Location of Asbestos: Kitchen, garage

City/State/Zip: Longview

WA 98632

☐ Demolition of Structure (Notification of Demolition required)

County: CLARK COUNTY

☐ Asbestos present?

☐ Asbestos presumed?

☒ Asbestos survey conducted?

No survey reason:

AHERA Inspector: Stephen Strickland

Certification #: ON-4644-11135-120723

### Material to be Removed:

☐ Fireproofing

☐ Popcorn Ceiling

☐ CAB

☐ Sheet Vinyl

☐ Boiler Insulation

☐ Duct Tape

☐ Duct Paper

☐ Mag Pipe Insulation

☐ Air Cell

☐ CA Pipe

☐ VAT

☒ Other Drywall

### Control Methods:

☒ N.P Enclosure

☐ Glove Bag

☐ Mini Enclosure

☐ Wrap and Cut

☒ Water

☒ HEPA Vac

☐ Other

Asbestos Contractor: Abatement Services of Washington

Phone: 503-765-5257

Mailing Address: PO Box 747, Beaver Creek, OR, 97004

Email: [tristan@abateservices.com](mailto:tristan@abateservices.com)

Certification ##: ABCN00001610

Supervisor: Manuel Artiga

Phone: 503-544-6361

Property Owner: Janice Synder

Phone: 360-425-7631

Mailing Address: 3160 Oak St, Longview WA 98632

Asbestos Disposal Site: Hillsboro Landfill: 3205 SE Minter Bridge Rd, Hillsboro, OR, 97123-

**I DO HEREBY CERTIFY THAT THE INFORMATION CONTAINED IN THIS NOTIFICATION IS,  
TO THE BEST OF MY KNOWLEDGE, ACCURATE AND COMPLETE.**

Submitter Name: Ashley Morales

Representing: Asi

Submitter Title:

Date Submitted: 1/13/2025

Reviewed by SWCAA: Mihai Voivod

☒ Approved