Southwest Clean Air AgencyAir Discharge Permit Application Notice

Application Number	CL-3175
Affected Facility	Evergreen School District – Marrion Elementary School 10119 NE 14 th Street Vancouver, WA 98664
Description of Facility	Public School
Source Designation	Minor The facility will be a stationary source subject to review under SWCAA 400-110. Facility emissions will be less than 100 tpy of any single criteria pollutant, less than 10 tpy of any single hazardous air pollutant, and less than 25 tpy of any combination of hazardous air pollutants.
Purpose of Application	SWCAA has received a permit application for installation of natural gas fired heating equipment and a diesel-fired emergency generator engine at a new school. The application has not yet been reviewed to determine if it is administratively complete. The SWCAA permit writer identified below will be reviewing the application to make a determination of completeness and, if necessary, make a request for additional information.
Affected Pollutants	The proposed permitting action is expected to impact emissions of the following pollutants: NOx, CO, VOC, SO ₂ , PM, HAP, TAP
Public Comment Period	No public comment period for the draft permit is currently scheduled. A 30-day public comment period for the draft permit may be provided upon written request pursuant to SWCAA 400-171(1).
Opportunity for Public Involvement	 Any person who wishes to review or comment on this application/permit may: Contact the agency contact person identified below for more information; Request a public comment period pursuant to SWCAA 400-171. Requests for a public comment period must be submitted to SWCAA in writing via letter, fax, or electronic mail no later than the date specified below; Request a copy of the draft permit via regular or electronic mail when available. Requests for a copy of the draft permit must be submitted to SWCAA in writing via letter, fax, or electronic mail no later than the date specified below; Provide comment on the draft permit if a public comment period is provided. Comments must be submitted to SWCAA in writing prior to the end of the designated public comment period; or Request a public hearing for the draft permit. Public hearing requests must be received by SWCAA in writing during the designated public comment period, indicate the interest of the person filing the request, and state why a hearing is warranted. A public hearing will be held if the Control Officer determines that significant public interest exists.
Application Dates	Date received: Date of public notice: August 20, 2021 August 26, 2021 Due date for public comment period and draft permit requests August 20, 2021 September 11, 2021
Agency Contact Person:	Clint Lamoreaux Phone number: 360-574-3058, ext. 131 E-mail address: clint@swcleanair.gov