

# Southwest Clean Air Agency Air Discharge Permit Application Notice

Application Number	CO-1058
Affected Facility	Divert, Inc/Integrated Food Recovery Facility 1800 Prudential Blvd, Longview, WA 98632
Description of Facility	This facility is intending on producing renewable natural gas (RNG) through the use of anaerobic digestion of food waste.
Source Designation	<u>Natural Minor</u> The facility is a stationary source subject to review under SWCAA 400-110. Facility emissions are expected to be less than 100 tons per year (tpy) of any single criteria pollutant, less than 10 tpy of any single hazardous air pollutant, and less than 25 tpy of any combination of hazardous air pollutants.
Purpose of Application	SWCAA has received a permit application describing the anaerobic digestion process and gas cleaning process, including the use of a natural gas boiler and emergency flare. The application has not yet been reviewed to determine if it is administratively complete. The SWCAA permit writer identified below will be reviewing the application to make a determination of completeness and, if necessary, make a request for additional information. A copy of the application will be available to the public when the application is determined to be complete.
Affected Pollutants	The proposed permitting action is expected to impact emissions of the following pollutants: <i>Nitrogen Oxides, Carbon Monoxide, Particulate Matter, Volatile Organic Compounds, and Toxic/Hazardous Air Pollutants</i>
Public Comment Period	No public comment period for the draft permit is currently scheduled. A 30-day public comment period for the draft permit may be provided upon written request pursuant to SWCAA 400-171(3).
Opportunity for Public Involvement	Any person who wishes to review or comment on this application/permit may: <ul style="list-style-type: none"> <li>• Contact the agency contact person identified below for more information; or</li> <li>• Request a public comment period pursuant to SWCAA 400-171(3). Requests for a public comment period must be submitted to SWCAA in writing via letter, fax, or electronic mail no later than the date specified below.</li> </ul> If a public comment period was requested and granted, any person may: <ul style="list-style-type: none"> <li>• Provide comment on the draft permit. Comments must be submitted to SWCAA in writing prior to the end of the designated public comment period; or</li> <li>• Request a public hearing for the draft permit. Public hearing requests must be received by SWCAA in writing during the designated public comment period, indicate the interest of the person filing the request, and state why a hearing is warranted. A public hearing will be held if the Executive Director determines that significant public interest exists.</li> </ul>
Application Dates	Date received: .....August 10, 2022 Date of public notice: .....September 15, 2022
Agency Contact Person:	John St.Clair Air Quality Engineer II Phone: (360) 574-3058, ext. 127 E-mail: John@swcleanair.org