

AFFIDAVIT OF PUBLICATION

IN THE MATTER NOTICE OF PUBLICATION

Public Notice Notice to the pu

19-15-023

STATE OF WASHINGTON }
COUNTY OF COWLITZ } SS.

CARDL MACIELEWICZ being duly sworn says

that he/she is the CHIEF CLERK of the

THE DAILY NEWS

And that The Daily News, published in Cowlitz County, has been approved as a Legal Newspaper by order of the Superior Court of the State of Washington of Cowlitz County, and that the Annexed printed copy is a true copy of the NOTICE

in the above entitled matter as it was printed in the regular entire issue of said paper for a period of ONE INSERTION

commencing on the 30 day of AUGUST, 19 95 and ending on the 30 day of AUGUST, 1995, and that said newspaper was regularly distributed to its subscribers during all of said period, and that said NOTICE

was published in said newspaper and not in a supplement form. That the full amount of the fee charged for said foregoing publication is the sum of \$ 40.90 which amount has been paid in full at the rate of \$ 8.18 per inch for the first insertion and \$ 7.36 per inch for each subsequent insertion.

Carol Macielewicz

Subscribed and sworn to before me this 31 day of AUGUST, 19 95

Maunena Whitright
MAUNENA WHITRIGHT

Notary Public for the State of Washington,
residing in Cowlitz County

Public Notice
Notice to the public is hereby given that the Southwest Air Pollution Control Authority (SWAPCA) has made a preliminary determination to issue Order of Approval number 95-1797 to Kalama Chemical, Inc. for installation of a natural gas-fired hot oil heater (U-14) and a natural gas-fired boiler (U-15), with #2 diesel fuel backup capability and two additional distillation columns (B-152 and B-154), to be located at the existing facility at 1296 NW 3rd Street, Kalama, Cowlitz County, Washington. A Determination of Nonsignificance (DNS) in accordance with the State Environmental Policy Act (SEPA) has been made regarding this activity. Emissions from the hot oil heater, steam boiler and distillation columns are not to exceed the following: 26.0 tons per year of carbon monoxide, 16.0 tons per year of oxides of nitrogen, sulfur dioxide 1.5 ton per year, combined 7.0 ton per year of total organic compounds and particulate matter, and zero percent opacity.
The public has an opportunity to review and comment on the preliminary Order of Approval. This preliminary Order of Approval will be made available in other media, if necessary. All written or oral comments must be received by SWAPCA within 30 days after this publication. Final action by SWAPCA to approve, modify, or deny the proposal will be taken within 10 days after the close of the comment period. If there is a demonstrated significant public interest, a public hearing may be held with the required 30 day notification. The material is available for review at 1308 NE 134th Street, Vancouver, Washington, Monday through Friday from 8:00 AM to 4:30 PM.
Publish: Aug. 30, 1995

RECEIVED
SEP - 5 1995
SOUTHWEST AIR POLLUTION
CONTROL AUTHORITY