



Comment Notice Issuance of Draft Title V Permit

Notice Prepared: April 9, 2021

Comments Due By: May 10, 2021

Permit Number: SW10-17-R1

Applicant: The Southwest Clean Air Agency (SWCAA) is issuing a draft Title V Air Operating Permit to:

Owens-Brockway Glass Container – Plant 2
2310 N. Hendrickson Drive
Kalama, WA 98625

Action: This Title V Air Operating Permit is being issued in response to a Title V renewal application submitted in accordance with the deadline contained in Air Operating Permit SW10-17-R0-A. The Air Operating Permit issued in response to the renewal application has been updated as appropriate to reflect the issuance of Air Discharge Permit (ADP) 21-3455.

Facility Description: This facility manufactures glass bottles (primarily wine bottles) using a natural gas oxy-fuel fired glass melting furnace. Emissions are generated from raw material handling, the glass melt furnace, mold swabbing, hot end treatment, VOCs from the use of lubricating oils, small natural gas fired sources (e.g. gob heaters, shrink wrap heater), maintenance, and two emergency generator engines.

Pollutant Discharge: Estimated emissions to the ambient air are as follows:

Pollutant	CY2020 Total Emissions (tpy)	Potential to Emit (tpy)
Nitrogen Oxides (NO _x)	5.72	53.21
Carbon Monoxide (CO)	1.81	12.97
Volatile Organic Compounds (VOC)	12.52	25.31
Sulfur Dioxide (SO ₂)	3.87	26.35
Particulate Matter (PM)	5.38	20.01
Particulate Matter (PM ₁₀)	5.38	20.01
Particulate Matter (PM _{2.5})	5.38	19.76
Toxic Air Pollutant (TAP) Emissions	1.56	4.41
Hazardous Air Pollutant (HAP) Emissions	0.65	3.29

Project Impact: This action does not change existing permit limits already established in federally enforceable Air Discharge Permits or Regulatory Orders. All applicable air quality requirements for this facility have been compiled in Air Operating Permit SW10-17-R1.

Additional Information: Copies of the draft permit and basis statement are available on the web at <http://www.swcleanair.org/permits/publiccomments.asp> or upon request from Clint Lamoreaux at (360) 574-3058 extension 131.

The full text of all permit documents and the draft permit is also available for public inspection by appointment between the hours of 8:00 a.m. and 4:30 p.m. at:

Southwest Clean Air Agency
11815 NE 99th Street Suite 1294
Vancouver, Washington 98682-2322

How To Comment: Please address all written comments to the address above. A public hearing may be requested within the comment period. Any request for a public hearing shall indicate the interest of the entity filing it and why a hearing is warranted. SWCAA may, in its discretion, hold a public hearing if significant public interest exists.

Comment Response: SWCAA will examine all information received and issues raised during the comment period. Following this review, SWCAA may modify the permit to address concerns raised during the comment period. The proposed Title V permit will then be forwarded to EPA for final review prior to issuance.