

*** Proof of Publication ***

IN THE MATTER NOTICE OF PUBLICATION

LEXY SMART being duly sworn says that she is the CHIEF CLERK of THE DAILY NEWS. And that THE DAILY NEWS, published in Cowlitz County, has been approved as a Legal newspaper by order of the Superior court of the State of Washington of Cowlitz County, and that the Annexed printed copy is a true copy of the notice in the above entitled matter as it was printed in the regular entire issue of said paper and online at www.tdn.com, for publication dates as listed below, and that said newspaper was regularly distributed to its subscribers during all of said period, and that said notice was published in said paper and not in a supplement form. That the full amount of the fee charged for said forgoing publication is as listed below, and is \$3.50 per line for the first insertion and \$3.00 per line for each subsequent insertion. There is also an additional charge of \$10.00 for every additional affidavit copy over two copies.

Public Notice
Notice to the public is hereby given that the Southwest Clean Air Agency (SWCAA) has issued draft Air Operating Permit (AOP) SW10-17-R1 to Owens-Brockway Glass Container - Plant 2. The AOP is a compilation of all applicable air quality requirements for the facility. The AOP does not modify existing permit limits. The public has an opportunity to review and comment on the draft AOP. A copy of this AOP will be available on SWCAA's website at www.swcleanair.org. This AOP will be made available in other media, if necessary. All written or oral comments must be received by SWCAA by May 10, 2021. If there is a demonstrated public interest, a public hearing may be held with the required 30-day notification. The material is available for review at 11815 NE 99th Street, Suite 1294, Vancouver, Washington, Monday through Friday from 8:00 AM to 4:30 PM.

Public Notice
Notice to the public is hereby given that the Southwest Clean Air Agency (SWCAA) has issued draft Air Operating Permit (AOP) SW10-17-R1 to Owens-Brockway Glass Container - Plant 2. The AOP is a compilation of all applicable air quality requirements for the facility. The AOP does not modify existing permit limits. The public has an opportunity to review and comment on the draft AOP. A copy of this AOP will be available on SWCAA's website at www.swcleanair.org. This AOP will be made available in other media, if necessary. All written or oral comments must be received by SWCAA by May 10, 2021. If there is a demonstrated public interest, a public hearing may be held with the required 30-day notification. The material is available for review at 11815 NE 99th Street, Suite 1294, Vancouver, Washington, Monday through Friday from 8:00 AM to 4:30 PM.

SW CLEAN AIR AGENCY
LEGAL ACCOUNT
11815 NE 99TH STREET 1294
VANCOUVER WA 98682

ORDER NUMBER 43965

LEXY SMART

Lexy Smart


Subscribed and sworn to before me this

19 day of April, 2021

DEZIRAY WEIKUM

Deziray Weikum

Notary Public for the State of Washington
Residing in Cowlitz County



Section: Legals
Category: 0599 Legals
PUBLISHED ON: 04/14/2021

TOTAL AD COST: 98.00
FILED ON: 4/14/2021