



## **Comment Notice Issuance of Draft Air Discharge Permit**

**Notice Prepared:** May 27, 2020

**Permit Number:** 20-3413

**Applicant:** Georgia-Pacific Consumer Operations LLC  
401 NE Adams Street  
Camas, WA 98607

**Action:** SWCAA is issuing a draft Air Discharge Permit (ADP) for a facility operated by Georgia-Pacific Consumer Operations LLC. The draft ADP is a permit for a new natural gas-fired package boiler, incorporating applicable requirements from Local, State and Federal regulations. An extended public comment period is being provided to meet a "substantially equivalent" permitting process under WAC 173-401-720(1)(e). This comment period applies to ADP 20-3413 only. Once the public comment period has ended and after resolving any comments, SWCAA will issue a final ADP as promptly as possible. In addition, SWCAA expects a request from the facility to revise Air Operating Permit (AOP) SW20-24-R0 under an administrative amendment per WAC 173-401-720 to incorporate the terms of ADP 20-3413. There will be no additional public comment period provided on the administrative amendment to the Air Operating Permit.

**Facility Description:** The affected facility is a papermaking mill located in Camas, Washington. The facility operates a single paper machine and associated converting operations to produce tissue and towels from purchased pulp.

**Pollutant Discharge:** Emissions of criteria pollutants to the ambient air and the expected change in emissions associated with this permitting action are as follows:

<u>Pollutant</u>	<u>Increase in PTE (tpy)</u>
NO <sub>x</sub>	4.68
CO	9.49
VOC	2.31
SO <sub>2</sub>	0.25
PM <sub>10</sub> /PM <sub>2.5</sub> (filterable)	0.797

**Project Impact:** This action does not change existing permit limits already established in federally enforceable Air Discharge Permits. All applicable requirements for this facility have been compiled in draft Air Operating Permit SW20-24-R0.

**Additional  
Information:**

Copies of the draft air discharge permit and technical support document are available on SWCAA's website at <http://www.swcleanair.org/permits/publiccomments.asp> or upon request from Danny Phipps at (360) 574-3058 extension 124.

The full text of the permit application and draft permit is also available for public inspection by appointment between the hours of 8:00 a.m. and 4:30 p.m. at:

Southwest Clean Air Agency  
11815 NE 99 Street, Suite 1294  
Vancouver, Washington 98682-2322

**How To Comment:** Please address all written comments to the address above. A public hearing may be requested within the comment period. Any request for a public hearing shall indicate the interest of the entity filing it and why a hearing is warranted. SWCAA may, in its discretion, hold a public hearing if significant public interest exists.

**Comments Due By:** July 11, 2020

**Comment Response:** SWCAA will examine all information received and issues raised during the comment period. Following this review, SWCAA may modify the permit to address concerns raised during the comment period. A final permit will be issued pending satisfactory resolution of comments, if any.