

PUBLIC NOTICE

Notice is hereby given that the Southwest Clean Air Agency (SWCAA) is providing a forty-five (45) day public comment period to the public, Affected States, and EPA for the preliminary determination to issue Air Discharge Permit (ADP) 20-3413 to Georgia Pacific Consumer Operations LLC. This preliminary determination is to approve Installation of a Package Boiler at a facility located at 401 NE Adams Street, Camas, WA 98607.

The extended public comment period is being provided to meet a "substantially equivalent" permitting process under WAC 173-401-720(1)(e). This comment period applies to ADP 20-3413 only. Once the public comment period has ended and after resolving any comments, SWCAA will issue a final ADP as promptly as possible. SWCAA expects a subsequent request by the facility to revise Air Operating Permit (AOP) SW20-24-R0 to incorporate the terms of ADP 20-3413 as an administrative amendment consistent with WAC 173-401-720(3)(a). There will be no additional public comment period provided on the revised Air Operating Permit. This action will increase/decrease emissions at the facility by the following amounts: 4.75 tpy NO_x, 9.64 tpy CO, 2.31 tpy VOC, 0.25 tpy SO₂, 3.19 tpy PM₁₀ and 0.03 tpy HAP.

Copies of the preliminary Air Discharge Permit and associated Technical Support Document are available for review at 11815 NE 99th Street, Suite 1294, Vancouver, Washington, Monday through Friday from 7:00 a.m. to 5:30 p.m. Electronic copies are available for review in the permit section of SWCAA's internet website (www.swcleanair.org/permits/publiccomments.asp). This material will be made available in other media, if necessary. All written or oral comments must be received by SWCAA within forty-five (45) calendar days after the date of publication. If there is a demonstrated significant public interest, a public meeting may be held at the close of the public comment period.