



State Environmental Policy Act

DETERMINATION OF NONSIGNIFICANCE (DNS) – SWCAA 24-012

Description of proposal:

ADP Application L-737: Installation of a diesel fired steam boiler at an existing diesel exhaust fluid (DEF) distribution terminal. Equipment installation will not involve the construction of any structures or roads. Impact on air will be minimized through the use of ultra-low sulfur fuel, vertical dispersion, and proper combustion controls. Impact on other media (traffic, light, noise, water, etc.) is expected to be consistent with current use.

Proponent: Musket Corporation (Kevin Solokowski, Environmental Manager)

Location of proposal, including street address if any:

3712 Northpark Drive in Centralia, Washington 98531

Lead agency: Southwest Clean Air Agency

The lead agency for this proposal has determined that it does not have a probable significant impact on the environment. An environmental impact statement (EIS) is not required under RCW 43.21C.030(2)(c). This decision was made after review of a completed environmental checklist and other information on file with the lead agency. This information is available to the public on request.

- ☒ There is no comment period for this DNS.
- ☐ This DNS is issued under WAC 197-11-340(2); the lead agency will not act on this proposal for 15 days from the date below. Comments must be submitted by _____.

Responsible official: Clinton Lamoreaux, P.E.

Position/title: Chief Engineer

Address: Southwest Clean Air Agency
11815 NE 99th St, Suite 1294
Vancouver, WA 98682-2322

Phone: (360) 574-3058, ext 131

Signature: Clint H. Lamoreaux

Date: March 6, 2024

